#### **Fiber Optic Transceiver**



#### **Overview**

TDH-F is a new generation of fiber converter that is designed for small pitched LED display.

- It has small size and light weight, can be easily installed insed or on the back of the LED tiles.
- All interfaces are located on the one side of box, which is convenient for users to connect cables.
- It has the advantages of long transmission distance, high working stability, supporting photoelectric bidirectional conversion, and can be widely used in television, data center, monitoring center and other fields.

#### **Features**

- 1x2.5G optical fiber port, with a transmission rate of up to 2.5Gb/s.
- Single mode twin-core fiber.
- Multi-source package with duplex LC connector.
- Equipped with 2.5G single mode optical module of 2km transmission distance.
- Hot-pluggable.
- High synchronization and stability for LED display.
- Distributed-feedback laser (DFB-LD).
- Eye safety designed to meet laser class 1.

Storage Temperature -40°C~85°C / -40°F~185°F	
Operating Temperature	0°C~70°C / 32°F~158°F
Power supply	DC 5V / 2A
Date Rate	2.5Gb/s
Working Mode Single-mode	
Transmission Distance	2km
Fiber Interface Type	Duplex LC



### **Fiber Optic Transceiver**


Laser	DFB
Gigabit Ethernet Port	2x RJ45, LAN1 and LAN2
Fiber Interface	1 port, 2.5G bandwidth

#### Hardware

#### Front panel



#### Rear panel



NO.	Parts	Description
PWR 1 STAT	PWR: Power indicatorSteady red: Power supply normal.	
	STAT: Signal transmission status indicatorBlinking green: Signal input normal.	
2	LAN1, LAN2	<ul> <li>2x RJ45 Ethernet ports, for data transmission.</li> <li>Blinking yellow: Signal input normal.</li> <li>Steady green: Power supply normal.</li> </ul>
3	FIBER	One optical fiber port, with a transmission rate of 2.5Gb/s, supporting photoelectric bidirectional conversion.  - Equipped with 2.5G single-mode optical module of 2km transmission distance.
4	DC5V / 2A	DC5V / 2A


<sup>\*</sup>The configuration in the figure is for reference only.



#### **Fiber Optic Transceiver**

#### **Reference dimensions**

Unit: mm



### **Application**

Fiber port to ethernet port diagram





### **Fiber Optic Transceiver**

Ethernet port to fiber port diagram

